



Sterile Cleaning Products

Contec® offers Validated Sterile mopping products designed especially for pharmaceutical, biotech, and medical device manufacturing environments. Fully autoclavable hardware systems are available for all Contec mopping systems. See pages 4-5 for details. Validation reports are available upon request. For certificates of sterility, irradiation, or conformance, e-mail wipers@contecinc. com or visit our website, www.contecinc.com.



Our innovative sterile packaging features a peelable outer bag and linear tear inner bag with embossed lot numbers.





VertiKlean®

VertiKlean® Textured


VertiKlean® Mop head Covers



Look for these special symbols throughout our catalog.



These Contec® cleaning products are available Validated Sterile to a Sterility Assurance Level (SAL) of 10⁻⁶ in accordance with standards and recommended practices of the AAMI/ISO 11137 Method 1 Guidelines. Ask your Contec representative for a copy of our Innovative Products for Sterile Environments catalog, or visit www.contecinc.com. Sterile part numbers are printed in blue throughout this catalog.





VK Sponge

Edgeless® Mop

Part #	Description	Pieces/IB	IB/IC	IC/MC	Pieces/Case
VertiKlean® I	Mop heads				
VK-MOPIR	VertiKlean mop head, sterile, $8.5 \times 4.25 \times 1.25''$ (22 x11x 3 cm), for $7''$ (18 cm) frame	1	4	12	48
MVK-MOPIR	VertiKlean mop head, sterile, 12.75 x 4.25 x 1.25" (32 x11x 3 cm), for 12"(30.5 cm) frame	1	4	8	32
LVK-MOPIR	VertiKlean mop head, sterile, 15.5 x 4.25 x 1.25" (39 x11x 3 cm), for 14"(35.6 cm) frame	1	4	8	32
TVKMOPIR	VertiKlean mop head, textured, sterile, 8.5 x 4.25 x 1.25" (22 x11x 3 cm), for 7"(18 cm) frame	1	4	12	48
TMVKMOPIR	VertiKlean mop head, textured, sterile, 12.75 x 4.25 x 1.25" (32 x11x 3 cm), for 12"(30.5 cm) for	ame 1	4	8	32
TLVKMOPIR	VertiKlean mop head, textured, sterile, 15.5 x 4.25 x 1.25" (39 x11x 3 cm), for 14"(35.6 cm) fra	me 1	4	8	32

VertiKlean® M	op head Covers P	ieces/IB	IB/IC	IC/MC	Pieces/Case
VKST0004	mop head cover, polyester, sterile, for 7"(18 cm) frame	4	2	4	128
VKST0006	mop head cover, Quiltec I, sterile, for 12"(30.5 cm) frame	4	2	4	128
VK Sponge		Sponges/Bag	IB/OB	OB/CS	Total/MC
VKST0001	VK sponge, single layer, sterile, 8.5 x 4.25 x .625" (22x11x1.5	5 cm) 1	8	12	96
VKST0002	VK sponge, double layer, sterile, 8.5 x 4.25 x 1.25" (22x11x)	3 cm) 1	4	12	48
VKST0003	VK sponge, single layer, sterile, 5 x 4.25 x .625" (22x11x1.5	cm) 1	15	8	120
Edgeless® Mo	n heads	Otv/Each		ach/Case	

Edgeless® Mo	p heads	Oty/Each	Each/Case	
EL-MOP IR	Edgeless mop head, sterile	1	20	
ELMOP2IR	Edgeless mop, wide tube, sterile	1	30	
ELMOP3IR	Edgeless mop, enhanced ribbed, sterile	1	30	

IB = Inner bag, IC = Inner case, MC = Master Case



These products can be customized to meet your specific requirements. Variables include fabric, saturation and solvent levels as well as packaging configurations. Ask your Contec® representative for more information.

1-800-289-5762

864-503-8333

Edgeless® Mopping System

Traditional, Enhanced Twisted Ribbed and Wide Ribbed Polyester tube mops

• Mop head is a continuous tube of 100% polyester knitted fabric looped to form tubular mop strands. Three styles:

Original Edgeless Mop: traditional tube

Enhanced Ribbed Edgeless Mop: unique ribbed, twisted strands are more sorbent; textured headband

Wide tube Edgeless Mop: economical version of our original Edgeless mop; textured headband

- All mops are available sterilized by Gamma Radiation, and can be sterilized by ETO and steam (autoclave) sterilization methods. Validated sterile per the AAMI/ISO Guidelines to a 10-6 SAL. Certificates of sterility are available.
- Designed for semiconductor, pharmaceutical, biotech, and medical device industries for lab clean up and process area cleaning. Ideal for general purpose cleaning in ISO Class 3 as well as less critical environments. Compatible with a wide range of chemicals.

Handles and Buckets

• Telescoping stainless steel and anodized aluminum handles are compatible with all sizes of Contec's interchangeable mop head frames. Fully autoclavable. Available in two lengths: 16"(40 cm), extends to 30" (76 cm); 50"(127 cm), extends to 92" (234 cm). Use with Dynamate[™] Edgeless® mop head frame.



Wide	Tube	Edgeless®	Мор
------	------	-----------	-----

_			
Bu	cket	Syst	ems

A variety of compatible bucket systems are available for Contec® Edgeless® Mops. We recommend using a downpress wringer with insert for optimum performance. See pages 4-5 for more information.

Part #	Description	Quantity/Each	Units/Case
Edgeless® M	op heads		
EL-MOP	Edgeless mop	1 mop/bag	20
ELM0P2	Edgeless mop, wide tube	1 mop/bag	30
ELM0P3	Edgeless mop, enhanced ribbed tube	1 mop/bag	30
EL-MOP IR	Edgeless mop, sterile	1 mop/bag	20
ELMOP2IR	Edgeless mop, wide tube, sterile	1 mop/bag	30
ELMOP3IR	Edgeless mop, enhanced ribbed, sterile	1 mop/bag	30
Interchangea	ble Mop Head Frames & Handles		Quantity/Each
2646	6" (15 cm) x 7" (18 cm) Dynamate Edgeless Mop head	frame	1
2643	50" (127 cm) Interchangeable handle, extends to 92" (2	238 cm), Anodized Aluminum	1
2645	50" (127 cm) Interchangeable handle, extends to 92" (2	238 cm), Stainless Steel	1
Additional Ha	andles		
A71612	64" (162.4 cm) Fiberglass Handle, 1 piece, non autocla	avable	1

TaxFre® Mop

Tack-cloth dry mop

Designed for dry mopping floors and walls, the TaxFre Mop utilizes the same low-residue pressure-sensitive material as TaxFre wipers. The large 23"x 5" (58.4 cm x 13 cm) tapered swivel head attached to a lightweight 8' (2.5 m) telescoping handle enables the operator to clean in hard to reach areas. All hardware is cleanroom compatible. The unique construction of the TaxFre mop head allows the use of multiple sheets that can easily be removed when contaminated, revealing a fresh sheet for continued cleaning. The TaxFre Mop is ideal to use when liquids are not recommended.

Part #	Description	Pieces/Bag	Bags/Case
TF-1228	12" x 28" (30.5 cm x 71 cm) Floor mop	50	4
UF211	23" x 5" (58.4 cm x 13 cm) Mop head w/ swivel attachmer	nt 1	•
WWP08	8' (2.5 m) Aluminum extension handle, 2 piece	1	•

Contec's TaxFre® Mop utilizes a lightweight 8' telescoping handle. This handle is compatible with our Wall WipR system pictured on page 4.

864-503-8333



VertiKlean® Sox Mop head covers

The VertiKlean® Sox is a removable cover designed to increase the durability of the VertiKlean® Mop when used on abrasive surfaces. Offered in sizes to fit all three VertiKlean mop heads, the mop head covers are available in Polynit or Quiltec fabric for added liquid retention. Validated sterile versions are now available for use in sterile core areas. See page 3 for part numbers.





Contec offers stainless steel single or multi-bucket systems that complete the VertiKlean Wall Washing system. See pages 4-5 for additional hardware options.

Vertiklean® Wall Washing System

Lightweight polyester disposable mop head and hardware designed for vertical surfaces


- Developed for wet cleaning ceilings and walls in controlled environments. Ideal for reaching awkward corners and ceilings.
- Designed for one-time use, disposable mop heads are compatible with our 7", 12", 14" stainless steel mop head frames.
- Also available in 16 ¹/₄ " for use with 15 ¹/₂" collapsing paddle mop frames. Easily functions with Perfex/TrueClean handle, bucket and wringer.
- VertiKlean mop heads are comprised of polyester fabric laminated to clean ester foam which provides excellent abrasion resistance.
- Textured VertiKlean has a textured polyester face for those applications that require additional abrasion to improve particle removal from surface.
- Compatible with a wide range of chemicals. Ideal for application of disinfectants and cleaning solvents.
- Sterile VertiKlean mop heads are available in 3 sizes. Validated sterile with a 10-6 Sterility Assurance Level (SAL).
- VertiKlean mop head is free of any cellulosic contaminants and is compatible with gamma, ETO, and autoclavable sterilization.

Hardware

- Lightweight, easy-to-maneuver stainless steel swivel frame slips inside the mop head allowing a full range of motion.
- Mop head frames have a capped end and "quick connect" feature; available in 7", 12" and 14".
- Telescoping stainless steel and anodized aluminum handles are available in two lengths: 16"(40cm), extends to 30" (76cm); 50"(127cm) extends to 92"(234cm). Autoclavable.







IB = Inner bag, IC = Inner case, MC = Master Case, • Not applicable

VK Sponge Absorbent, abrasion resistant sponge

The VK Sponge incorporates the same high sorbency of polyester foam with the abrasion resistance of Polynit fabric. The sponge is laser cut to completely seal the edges. The cleanroom sponge is designed for general cleaning and wiping and ideal for use in the laboratory. It is highly absorbent and abrasion resistant.

The VK Sponge is autoclavable and is also available as a sterile ready-to-use product.					
Part #	Description	Sponges/Bag	Bags/IB	IB/MC	Total/MC
VKSPONGE-1	VK Sponge, 8.5" (22 cm), single ply	8	3	4	96
VKSPONGE-2	VK Sponge, 8.5" (22 cm), double ply	4	3	4	48
VKSPONGE-55	VK Sponge, 5" (13 cm), single ply	15	2	4	120
VKST0001	VK Sponge, single ply, 8.5" (22 cm), steril	e 1	8	12	96









Hardware

VertiKlean® mop heads work best with Contec's Interchangeable Hardware System. Stainless steel mop head frames have a capped end and "quick connect" feature that allows for easy attachment to compatible handles. Mop head frames are available in 7", 12" and 14". Telescoping stainless steel and anodized aluminum handles are available in two lengths: 16" (40 cm), extends to 30" (76 cm); 50" (127 cm) extends to 92" (234 cm). All pieces of the Interchangeable Hardware System are fully autoclavable.

120

15

Mop Key

Contec® offers bucket and wringers that complete our mopping and wall washing systems. The symbols below represent our mop heads. The color-coded squares appear beside the most compatible systems. Consult with your Contec representative for assistance in selecting the best mopping or wall washing system for your specific needs.



Edgeless Mopping System



VertiKlean® Wall Washing System



WallWipR[™] Cleaning System

Visit our website for more innovative products for critical environments.

www.contecinc.com

Autoclavable Plastic Bucket System

Fully autoclavable bucket, wringer, cart and casters

- Durable plastic bucket system is lightweight, easy-to-maneuver
- Fully autoclavable bucket, wringer, cart and casters ideal for sterile environments
- Each 8 gallon (30L) bucket is available in red and blue; color allows for differentiation between cleaning and rinsing solutions
- Single and double bucket systems are available

Part # Description

2720 Plastic Double Bucket System, 2 8 gal. (30L) buckets, wringer, cart w/ casters

2721 Plastic Single Bucket System, 1 6.5 gal. (25L) bucket, wringer, cart w/ casters

Ultra Champ Bucket System

9 gallon non-autoclavable plastic bucket system

- Durable, heavy-duty plastic bucket system is ideal for general purpose floor cleaning in less critical areas
- Capacity: 9 gallons (33L)
- Downpress wringer with basket insert maximizes wringing pressure and effectiveness
- Easy-glide casters allow for mobility

Part #	Description	Quantity/Each
510/9520	Plastic Bucket, 9 gal. (33 L), Wringer, Insert, Casters	1



Contec's Wall WipR Cleaning System is an economical, effective and efficient cleaning system for vertical surfaces. Polyester fabric combined with a lightweight aluminum frame and handle offers wide surface coverage and low operator fatigue. The specially-designed fabric covers are low in extractable residues, and even lower in particle generation. Multiple covers are available for various applications. Convenient 14" (35.6 cm) or 18" (45.7 cm) width.

Part #	Description	Pieces/Bag	Pieces/Case
WWC14	14" (35.6 cm) Polyester/foam wiping cover	50	400
WWC18	18" (45.7 cm) Polyester/foam wiping cover	50	400
PSQT0001	18" (45.7 cm) Quiltec wiping cover, presaturated with 90% IPA	10	120
WWH14	14" (35.6 cm) Swivel "T" Handle	•	1
WWH18	18" (45.7 cm) Swivel "T" Handle	•	1
WWP08	8' (2.48 m) Aluminum Extension Handle, 2 piece	•	1
WWP14	14' (4.26 m) Aluminum Extension Handle, 3 piece	•	1
WWBKT	Plastic Bucket for Wall WipR system	•	1
WWCST	Casters for WWBKT (4 casters/bucket)	•	1
WWSVE-SS	Wringer Sieve for WWBKT	•	1



Stainless Steel Bucket System

Round 8 gallon bucket with downpress wringer

- Heavy-duty 22 gauge 304 nonmagnetic deep-drawn seamless stainless steel bucket. Capacity: 8 gallons (30 L).
- Fully autoclavable bucket and casters ideal for sterile environments
- Downpress wringer and basket insert are needed to complete the system. Compatible with 7" VertiKlean mop heads and all styles of Edgeless Mop heads.

Part #	Description	Quantity/Each
2601	Stainless Steel Bucket, 8 gal. (30 L), 3" (7.6 cm) casters	1
2621	Stainless Steel Royal Prince Wringer	1
2680	Stainless Steel Insert for Wringer 2621	1
2621/80	Wringer 2621 with Insert 2680*	1

^{*}insert required for proper performance



Oval 9 gallon stainless steel bucket and wringer

- 24 gauge magnetic 316 stainless steel bucket. Capacity: 9 gallons (33L).
- Fully autoclavable bucket and casters are ideal for sterile environments.
- Downpress wringer and basket insert complete the system. Compatible with 7" and 12" VertiKlean mop heads.

Part #	Description	Quantity/Each
2606	Stainless Steel Bucket, 9 gal. (33 L), 3" (7.6 cm) casters	1
2625	Stainless Steel Downpress Wringer	1
2679	Stainless Steel Insert for Wringer 2625	1
2625/79	Wringer 2625 with Insert 2679*	1

^{*}insert required for proper performance

Stainless Steel Multiple Bucket System

Fully autoclavable buckets and cart with casters

- Made of heavy-duty, deep drawn, seamless type 304 stainless steel
- Available with 2 or 3 5 gallon (20 L) buckets; ideal for differentiation between solvent/disinfectant and rinse water.
- Stainless steel downpress wringer is compatible with all sizes and styles of VertiKlean and Edgeless mop heads.
- Fully autoclavable system is ideal for use in sterile environments.





EliminatR® Sock & Pillow

Disposable cleanroom spill control products

Performance-engineered from 100% knitted polyester, EliminatR products have excellent sorbency for aqueous spills and superior holding ability for oils. Designed to be clean as well as sorbent, the EliminatR Sock and Pillow are suitable for use in Class 1000 or higher cleanroom environments. Outer covering is a durable two-ply polyester. Cellulose-free. Compatible with gamma, ETO and autoclave sterilization. Acid resistant. EliminatR Sock is 36" x 4" (91.5 cm x 10.2 cm). EliminatR Pillow measures 12" x 12" (30.5 cm x 30.5 cm). Both EliminatR products have a sorbent capacity of greater than 1 liter.

Part numbers: EliminatR® Sock- ELRSOC EliminatR® Pillow- ELRPIL

Part #	Description 0	uantity/Eacl
2700	Stainless Steel System, cart, wringer, 2 buckets	1
2703	Stainless Steel System, 3 buckets	1
2617	5 gallon (20L) bucket, stainless steel, 21"(53 cm) x 13"(33cm) x 8"(20c	cm) 1

www.contecinc.com

Visit our website for more innovative cleaning products for critical environments.

Presaturated Wipers
Knitted Wipers
Nonwoven Wipers
Sterile Products
Custom Products
Spill Control Products
Gloves
Swabs
Sponges



Contec® is an ISO 9001:2000 registered company

Contec®, VertiKlean®, TaxFre®, EliminatR®, Quiltec® and WallWipR™ are registered in the U.S. Patent and Trademark Office and are the property of Contec, Inc. Contec®, the Contec logotype and logo are registered trademarks of Contec, Inc.

All rights reserved. © 2006 Contec, Inc.



P.O. Box 530 Spartanburg, SC 29304 USA Tel: (864) 503-8333 Fax: (864) 503-8444 Toll Free US, Canada, PR: 1-800-289-5762 e-mail: wipers@contecinc.com www.contecinc.com